



LedKoning

# WARM WIT PRO LED STRIP

**240**  
LEDS P/M



**Warm Wit**







## SPECIFICATIES

Dimbaar	Ja
3M plakstrip over gehele lengte	Ja
Garantie	2 jaar
Op maat te knippen	Elke 2,5 cm
Aantal LED's p/m	240
Type LED	2216 SMD
Merk LED	Epistar
Stralingshoek	120 graden
Kleur	Warm Wit
Kleurtemperatuur (Kelvin)	2700K
CRI	93.2
Lichtsterkte (lumen) p/m	1323 lm
Aantal branduren	50.000
Voltage (DC)	24V
Watt - vermogen p/m	17,2W
Bescherming	IP20, IP65 of IP67
Materiaal waterdichte bescherming (IP65/IP67)	Siliconen
Achtergrond kleur strip (PCB)	Wit
Plakstrip	IP20: 3M 300LSE      IP65: 3M VHB      IP67: 3M VHB
Breedte led strip	IP20: 10mm      IP65: 12mm      IP67: 12mm
Dikte led strip	IP20: 3mm      IP65: 5mm      IP67: 5mm
Aansluiting begin	5.5x2.1 DC stekker type vrouw
Aansluiting einde	5.5x2.1 DC stekker type man

# TECHNISCHE TEKENINGEN



**IP20**



**IP65/67**



**IP20**



**IP65**




**IP67**





# 1M Warm Wit Pro - 240 LEDS P/M



**Color Parameters:**

Chromaticity Coordinate: $x=0.4600$   $y=0.4071/u'=0.2642$   $v'=0.5260$   
 CCT=2670K(Duv=-0.0013) Dominant WL:Ld =584.8nm Purity=60.3%  
 Ratio:R=26.7% G=70.8% B=2.4% Peak WL:Lp=629.3nm FWHM=147.6nm  
 Render Index:Ra=93.2 CRI=90.8

R1 =94    R2 =97    R3 =98    R4 =92    R5 =93    R6 =96    R7 =92  
 R8 =83    R9 =65    R10=92    R11=93    R12=83    R13=95    R14=98    R15=90

**Photo Parameters:**

Flux = 1323 lm    Eff. : 76.72 lm/W    Fe = 4.844 W

**Electrical parameters:**

V = 23.998 V    I = 0.7184 A    P = 17.24 W PF = 1.000  
 LEVEL:OUT    WHITE:ANSI\_2700K

Status: Integral T = 116 ms Ip = 51147 (78%)



# CE CERTIFICAAT

AN TENG TESTING CERTIFICATION ▲ AN TENG TESTING CERTIFICATION ▲ AN TENG TESTING CERTIFICATION



WWW.ANENGLAB.COM  
Tel:86-755-27724522  
Fax:86-755-27724533

## Certificate of Conformity

**Certification No.** : ATT31811210447E  
**Applicant** : LedKoning B.V.  
**Address** : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.  
**Manufacturer** : LedKoning B.V.  
**Address** : Kasteleinenkampweg 11a, DEN BOSCH, The Netherlands.  
**Certification Marking** : CE-EMC

**Product Description** : 2216 LED Strip  
 WWLS240-01M2420, WWLS240-01M2465, WWLS240-02M2420, WWLS240-02M2465, WWLS240-03M2420, WWLS240-03M2465, WWLS240-04M2420, WWLS240-04M2465, WWLS240-05M2420, WWLS240-05M2465, HWLS240-01M2420, HWLS240-01M2465, HWLS240-02M2420, HWLS240-02M2465, HWLS240-03M2420, HWLS240-03M2465, HWLS240-04M2420, HWLS240-04M2465, HWLS240-05M2420, HWLS240-05M2465, KWLS240-01M2420, KWLS240-01M2465, KWLS240-02M2420, KWLS240-02M2465, KWLS240-03M2420, KWLS240-03M2465, KWLS240-04M2420, KWLS240-04M2465, KWLS240-05M2420, KWLS240-05M2465

**Model** :  
 HWLS240-01M2420, HWLS240-01M2465, HWLS240-02M2420, HWLS240-02M2465, HWLS240-03M2420, HWLS240-03M2465, HWLS240-04M2420, HWLS240-04M2465, HWLS240-05M2420, HWLS240-05M2465, KWLS240-01M2420, KWLS240-01M2465, KWLS240-02M2420, KWLS240-02M2465, KWLS240-03M2420, KWLS240-03M2465, KWLS240-04M2420, KWLS240-04M2465, KWLS240-05M2420, KWLS240-05M2465

**Trademark** : N/A

Sufficient samples of the product have been tested and found to be in conformity with

<b>Test Standards</b>	EN 55015: 2013+A1:2015 EN 61547:2009 EN 61000-3-2:2014 EN 61000-3-3:2013
-----------------------	---

When tested as specified, the submitted sample complies with EMC Directives 2014/30/EU  
 The certificate is based on a single evaluation of one sample of above-mentioned products. It does not imply an assessment of the whole production and does not permit the use of the test laboratory logo.



Authorized Signer:   
**Joseph Yang / Manager**  
 November 27, 2018

Shenzhen An-Teng Testing Service Co., Ltd  
 Room 402-405, Floor 4th, Building C, Yuxing Technology Industrial Park, Xixiang Street, Bao 'An District, Shenzhen, Guangdong, China

Adres: Rietveldenweg 49D, 5222AP 's Hertogenbosch  
 Tel: +3173 704 1100  
 E-mail: info@ledkoning.nl  
 Website: www.ledkoning.nl